


MAXIFY GX6010

Large-capacity MegaTank Printer for Businesses

MEGA TANK



Print up to ⁷




Business Printing Efficiency In The Long-term

A refillable ink tank printer for businesses that packs a heavyweight performance and excellent maintainability.

- Keep business printing costs down with huge yields of 21,000 pages from a set of color ink bottles or 9,000 pages from a black ink bottle using Economy mode⁷. Count on business quality prints even in Economy mode.
- High-speed⁹ printing of up to 45 ppm in BK and 25 ppm in color, so you can respond as quickly as your business needs require.
- Ease of mind with less need for repairs. Excellent maintainability with a print head and a maintenance cartridge that are easy to replace by users in the comfort of their offices.
- Print, scan, copy, and connect to the cloud via the Canon PRINT⁸ app. Compatible with Apple AirPrint³ (iOS) and Mopria⁴ (Android) and harness Ethernet connectivity plus dual-band Wi-Fi¹ support.

COMPACT YET HIGHLY CAPABLE

Make light work of busy schedules with a 50-sheet auto document feeder, tiltable 2.7" color touch screen and paper supply of up to 350 sheets. Handle diverse media – even print banners up to 1.2m in length.



EASE-TO-REPLACE PRINT HEADS AND INK MAINTENANCE CARTRIDGE



MAIN FEATURES



PRINT SPEED ⁹		
B/W	45 ppm	24 ipm
COLOR	25 ppm	15.5 ipm

Approx. **12 Sec** Color FCOT⁹



TECHNICAL SPECIFICATIONS

PRINT

Print Features

Document Printing, Wireless Printing¹, Economy Mode Printing⁷, High Page Yield⁷, Auto 2-Sided Printing, Canon PRINT app⁸, AirPrint³, Mopria Print⁴ Service, PIXMA Cloud Link⁵, Poster Artist Lite⁹, Direct Connection, Canon Print Service¹⁷ (for Android), Easy-PhotoPrint Editor Software¹⁶, Creative Park¹⁸ (Android/iOS/iPadOS), Photo Printing, Business Card Printing, Greeting Card Printing, Label Printing, Square Media Printing Support, Print from USB Flash Drive⁵.

Print Speed⁹

Document: DRAFT (Approx.): B/W: 45 ppm. Color: 25.0 ppm. **ESAT/Simplex (Approx.):** B/W: 24.0 ipm. Color: 15.5 ipm. **ESAT/Duplex (Approx.):** B/W: 13.0 ipm. Color: 10.0 ipm. **FPOT Ready/Simplex (Approx.):** B/W: 7 Sec. Color: 8 Sec.

Number of Nozzles

Total 4,352 nozzles (BK: 1,280 nozzles, C/M/Y: 1,024 nozzles)

Print Resolution¹⁰

600 dpi*2 x 1,200 dpi

Duty Cycle⁶ & Recommended Monthly Print Volume⁶ (RMPV)

Duty Cycle: Up to 45,000 pages/month. **RMPV:** Up to 4,000 pages

Paper Sizes

Rear Tray: A4, A5, A6, B5, LTR, LGL, B-Oficio, M-Oficio, Foolscap, FS, Executive, #10 Envelope, DL Envelope, C5 Envelope, Monarch Envelope, 4" x 6", 5" x 7", 7" x 10", 8" x 10", Square (127 mm x 127 mm), Custom size (width: 89 mm - 216 mm, length: 127 mm - 1,200 mm). **Cassette:** A4, LTR, A5, B5. **ADF:** A4, LTR, LGL

Media Compatibility

Plain Paper, High Resolution Paper, Photo Paper Plus Glossy II, Photo Paper Pro Luster, Photo Paper Plus Semi-gloss, Glossy Photo Paper "Everyday Use", Photo Paper Glossy, Matte Photo Paper, Envelope, Magnetic Photo Paper, Removable Photo Stickers, Restickable Photo Paper, Greeting Card, Photo Stickers, Light Fabric Iron on Transfers, Double sided Matte Paper.

Paper Weight

Rear Tray: Plain Paper: 64 g/m² - 105 g/m². Canon paper: Max. paper weight Approx. 275 g/m². **Cassette:** Plain Paper: 64 g/m² - 105 g/m².

Paper Tray Capacity

Total paper capacity: 350 sheets plain paper. **Cassette:** 250 sheets plain paper. **Rear Tray:** 100 sheets plain paper.

Durability of Hardware²⁰

150,000 pages

COPY

Copy Features

4-on-1 / 2-on-1 Copy, Document Copy, Fit-to-Page, Frame Erase Copy (Flatbed Only), ID Card Copy, Auto Exposure Copy, Multiple Copy (Up To 99 Pages), Photo Copy, Preset Copy Ratios, Reduction / Zoom Copy (25% -400%), Standard Copy.

Copy Speed⁹

Document Color: sFCOT/Simplex Approx. 12.0 sec. **Color:** sESAT/Simplex Approx. 12.7 ipm. **Document (ADF) Color:** ESAT/Simplex Approx. 12.2 ipm. **Black:** ESAT/Simplex Approx. 22.2 ipm.

Number of Copies

Up to 99 Copies

Maximum Document Size

A4 / LTR

Copy Size

25 - 400%. Fit to page. A5 to A4, B5 to A4, A4 to A5 and A4 to B5.

SCAN

Scanner Features

Single Sided (Simplex) Scanning, Save to PC, Attach to E-mail, Multi- Page PDF, Save to USB Flash Drive, Unsharp mask, Descreen, Reduce slow-through, Rescan, Rotate, Auto Crop, Scan to Folder.

Scanner Type

Flatbed (ADF / Platen).

Scanning Method

Contact Image Sensor (CIS)

Scanning Resolution¹¹

1200 x 1200 dpi

Maximum Color Scanning Bit Depth

Grayscale: 16-bit/8-bit Color: RGB each 16 bit/8 bit

Maximum Document Size

Flatbed: A4 / LTR (216 mm x 297 mm). **ADF:** A4 / LTR / LGL

GENERAL

Standard Interface

Hi-Speed USB
Wi-Fi* (Wireless LAN, 2.4/5 GHz, IEEE 802.11b/g/n)¹
Wired LAN (100BASE-TX) / 10BASE-T)

General Features

Print/Scan/Copy, 4-Color Continuous Ink Supply System, Pigment Ink for all colors, Wireless DirectConnection², Wireless Connect², Auto Paper Width Detection, User Replaceable Print Head, User Replaceable Maintenance Cartridge, Automatic Ink Detection, Auto Power On/Off, Canon PRINT app⁸, Energy Star* Certified, Quiet Mode, Smart Assistance & Automation Support¹⁵ (Amazon Alexa, Google Assistant).

Display

2.7" / 6.7 cm LCD (Touch Screen, Color).

Standard Print Languages

PCL6, PDF Direct, PS3 (Postscript Level 3), UFR II, TIFF, JPEG, WSD Printing, XPS Direc

OS COMPATIBILITY

Computer Operating Systems:

Windows¹²: Windows¹⁰, Windows 8.1, Windows 7 SP1.

Mac¹³: macOS v10.12.6 -10.15 (Catalina).

Linux²²: Fedora, Ubuntu (Distribution).

Mobile Operating Systems¹⁴: iOS⁸, iPadOS, AndroidTM

MOBILE APPS (IOS / ANDROIDTM)

■ **AirPrint³, Mopria⁴, Canon PRINT app⁸, Easy PhotoPrint Editor App¹⁶, Canon Print Service¹⁷ (Android), PIXMA Cloud Link⁵, Creative Park App¹⁸**

SOFTWARE (WINDOWS/MAC)

Printer Driver, Easy-PhotoPrint Editor Software¹⁶, PosterArtist Lite Software¹⁹

BOX CONTENTS

MAXIFY GX6010 Printer

Documentation

Ink Tank Bottles:

- GI-16 Black Pigment Ink Bottle (167 ml)
- GI-16 Cyan Pigment Ink Bottle (132 ml)
- GI-16 Magenta Pigment Ink Bottle (132 ml)
- GI-16 Yellow Pigment Ink Bottle (132 ml)

Power Cord

ORDERING INFORMATION

MODEL NUMBER	DESCRIPTION	ITEM NUMBER	UPC CODE	EAN CODE
MAXIFY GX6010	Large-capacity MegaTank Printer for Businesses	4470C004AA	01380333183	4549292173468

COMPATIBLE INKS				
GI-16 BK	Pigment Black Ink Bottle	4408C001AA	013803330731	4549292168785
GI-16 C	Pigment Cyan Ink Bottle	4418C001AA	013803330755	4549292168808
GI-16 M	Pigment Magenta Ink Bottle	4419C001AA	013803330779	4549292168822
GI-16 Y	Pigment Yellow Ink Bottle	4420C001AA	013803330793	4549292168846
MEGA KIT OF INKS GI-16 BkCMY	Kit of 4 Ink Bottles	4418C004AA	660685230637	---

COMPATIBLE PRINTHEADS AND MAINTENANCE CARTRIDGE				
MAXI KIT PH-S + GI-16 BkCMY	Print Head & 4-Color Ink Bottles	4659C005AA	660685231009	---
MC-G01	Maintenance Cartridge	4628C001AA	013803333220	4549292173710

PALLET INFORMATION²¹

ORIGIN	
Country of Origin	Vietnam
PRODUCT INFORMATION	
Individual Printer Dimensions	15.8" (W) x 16.2" (D) x 10" (H)
Individual Box Dimensions	19.25" (W) x 22.17" (D) x 13.86" (H)
Weight of Individual Printer	25.6 lbs.
Weight of Individual Box	33.51 lbs.
One Carton Size (M ³):	0.0969
PALLET INFORMATION	
Number of Boxes per Pallet	12
Dimensions (Pallet and Boxes)	44.96" (W) x 39.13" (D) x 46.26" (H)
Dimensions without Pallet	44.65" (W) x 38.82" (D) x 41.75" (H)
Loaded Pallet Weight	406.97 lbs.
Container (40F):	528
DATE	
Availability**	April 2021

SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL VIEWSCREEN AND PRINTER OUTPUT IMAGES ARE SIMULATED.

1. Wireless printing and scanning requires a working network with wireless 802.11b/g/n capability, operating at 2.4GHz or 5.0GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
2. Requires a smart device with the Canon PRINT Inkjet/SELPHY app installed and connected to the desired active wireless network to complete cableless setup.
3. AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device running iOS 7.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.
4. Requires Android™ mobile device with Android 4.4 operating system or later with the MopriaPrint Service pre-loaded with that device and the compatible PIXMA printer on the same wireless network. The Mopria experience is also available on Android 4.4 or later mobile devices with a download of the Mopria Print Service from Google Play.
5. Supported file formats include: JPEG, TIFF and PDF.
6. Duty Cycle is defined as the maximum number of printed pages for a single peak month. Recommended monthly print volume is the number of printed pages per month within the stated range for optimum device performance based on several factors.
7. Page Yield of 21,000 pages in Color and 9,000 in black and white is based on Economy Print Mode. The economy mode reduces the ink consumption by lowering the density. 50% more pages can be printed by using this mode. Page yield of color inks is an average yield of cyan, magenta and yellow inks combined. Page yield of included ink bottles used for initial setup is lower than the replacement ink bottles, as a certain amount of ink is consumed to fill into the print head during setup (charging the print head initially). Actual page yield and cost per print will vary significantly based on content printed, ink levels maintained in all four ink reservoirs, and other factors. Page yield is the estimated value based on Canon individual testing method using ISO/IEC 24712 test chart and continuous printing simulation with full set of replacement ink bottles after initial setup.
8. Requires an Internet connection and the Canon PRINT Inkjet/SELPHY app, available for free on the App Store and at Google Play. Compatible with iPad, iPhone 3GS or later, and iPod touch 3rd generation or later devices running iOS 12.0 or later, and Android™ mobile devices running Android 4.4 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n capability as your printer. Requires a compatible social media account and is subject to that social media account's Terms of Service. Certain exceptions may apply.
9. PPM print speed is based on the highest speed settings using certain Canon standard patterns on A4 plain paper. Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734. Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc. Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
10. Resolution may vary based on printer driver setting. Color ink droplets can be placed with a horizontal pitch of 1/4800 inch at minimum.
11. Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
12. Operation can only be guaranteed on a PC with pre-installed Windows 10, Windows 8.1, Windows 7 SP1.
13. Internet Connection required during software installation. For full compatibility macOS v10.12.1 or later is recommended.
14. Some functions may not be available with these Operating Systems. Please refer to manual for details.
15. Requires an active smart assistant account linked and accompanying app enabled, the smart device and printer to be actively connected with permission to the Canon Inkjet Cloud Printing Center, and the required action(s), skill(s), or applet(s) available/enabled to the compatible printer. Voice commands can not be displayed as text on Amazon smart devices with screens.
16. The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.
17. Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 -v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at Google Play.
18. Requires an Internet connection and the Creative Park app, available for free on the App Store and at Google Play. Requires an active 'Canon ID' available for free, and subject to 'Canon ID' Terms of Service.
19. PosterArtist Lite software v3.X is compatible with 64/32 bit versions of Microsoft® Windows® 10, Windows 8.1, Windows 7 and only compatible with select Canon PIXMA (released after July 2015), MAXIFY, imagePROGRAF and Océ printers. Minimum computer system requirements: Pentium4 2.8Ghz CPU or higher with 1GB RAM, 1024x768 pixel display and 5GB of system hard drive space.
20. Reference value based on Canon original methodology, not the product life cycle. Continuous A4 size printing on plain paper with 4-pages WORD file from ISO/IEC 24734. Depending on the printing environment and process, this may vary. It might require the replacement parts.
21. Pallet dimensions based on drop shipment (shipment directly from factory).
22. Canon cannot provide technical support for problems related to Linux driver.

*The extended warranty program is available in some countries in LATAM. Extended warranty consist of 1 year of standard warranty and two more additional years subject to product registration. Upon registration, total warranty period is three years in total after the date of purchase of the product.

**Availability date applies only for printers and individual ink bottles, but not for combo boxes.